

1.1

TABLE OF CONTENTS

1.0 EXECUTIVE SUMMARY	1.0
1.1 INTRODUCTION	1
1.2 BART EXTENSION PROJECT DESCRIPTION OVERVIEW	2
1.3 DESIGN CHANGES	3
1.3.1 CITY OF FREMONT	3
1.3.2 CITY OF MILPITAS	6
1.3.3 CITY OF SAN JOSE	10
1.3.4 CITY OF SANTA CLARA	20
1.4 CHANGES TO OTHER PROJECT FEATURES	24
1.4.1 CONSTRUCTION STAGING AREAS	24
1.4.2 BART CORE SYSTEM ACCESS	25
1.4.3 FLEET REQUIREMENTS	25
1.4.4 OPERATING PLAN	26
1.4.5 STATION BOARDINGS	26
1.5 IMPACTS AND MITIGATION MEASURES	28
1.6 PUBLIC AND AGENCY INVOLVEMENT	52
1.7 PUBLIC CIRCULATION OF THE DRAFT SEIR	53
1.8 ISSUES TO BE RESOLVED	54
2.0 INTRODUCTION	1
2.1 PURPOSE AND NEED FOR TRANSPORTATION IMPROVEMENTS	2
2.2.1 PURPOSE	2
2.2.2 ASSOCIATED NEEDS	3
2.2.2.1 Current and Future Corridor Travel Demand	7
2.2.2.2 Existing and Anticipated Transportation System Deficiencies and Congestion	8
2.2.2.3 Air Quality Considerations	8
2.2.2.4 Other Needs	8
3.0 BART EXTENSION PROJECT DESCRIPTION	1
3.1 INTRODUCTION	1
3.2 DESIGN CHANGES	2
3.2.1 CITY OF FREMONT	2
Design Change 1. Mission Boulevard/East Warren Avenue Alignment	4
Design Change 2. Electrical and Communication Facilities near East Warren Avenue	4
Design Change 3. Locomotive Wye (Fremont)	5
Design Change 4. Crossover Tracks near Kato Road	5

Chapter 1.0: Executive Summary

Chapter 2.0: Introduction

1.1 INTRODUCTION	1
1.2 BART EXTENSION PROJECT DESCRIPTION OVERVIEW	2
1.3 DESIGN CHANGES	3
1.3.1 CITY OF FREMONT	3
1.3.2 CITY OF MILPITAS	6
1.3.3 CITY OF SAN JOSE	10
1.3.4 CITY OF SANTA CLARA	20
1.4 CHANGES TO OTHER PROJECT FEATURES	24
1.4.1 CONSTRUCTION STAGING AREAS	24
1.4.2 BART CORE SYSTEM ACCESS	25
1.4.3 FLEET REQUIREMENTS	25
1.4.4 OPERATING PLAN	26
1.4.5 STATION BOARDINGS	26
1.5 IMPACTS AND MITIGATION MEASURES	28
1.6 PUBLIC AND AGENCY INVOLVEMENT	52
1.7 PUBLIC CIRCULATION OF THE DRAFT SEIR	53
1.8 ISSUES TO BE RESOLVED	54

2.1 INTRODUCTION	1
2.2 PURPOSE AND NEED FOR TRANSPORTATION IMPROVEMENTS	2
2.2.1 PURPOSE	2
2.2.2 ASSOCIATED NEEDS	3
2.2.2.1 Current and Future Corridor Travel Demand	7
2.2.2.2 Existing and Anticipated Transportation System Deficiencies and Congestion	8
2.2.2.3 Air Quality Considerations	8
2.2.2.4 Other Needs	8

Chapter 3.0: BART Extension Project Description

3.1 INTRODUCTION	1
3.2 DESIGN CHANGES	2
3.2.1 CITY OF FREMONT	2
Design Change 1. Mission Boulevard/East Warren Avenue Alignment	4
Design Change 2. Electrical and Communication Facilities near East Warren Avenue	4
Design Change 3. Locomotive Wye (Fremont)	5
Design Change 4. Crossover Tracks near Kato Road	5

Design Change 5. Kato Road Underpass	5	Design Change 30. Ventilation Structure South of Las Plumas Avenue	19
Design Change 6. Electrical and Communication Facilities near Scott Creek	5	Design Change 31. Gap Breaker Station near Marburg Way	19
Design Change 7. Railroad Intrusion Detection System	5	Design Change 32. US 101 Alignment	19
3.2.2 CITY OF MILPITAS	6	Design Change 33. Alum Rock Station	20
Design Change 8. Dixon Landing Road Alignment	8	Design Change 34. Gap Breaker Station near 22nd Street	21
Design Change 9. Berryessa Creek	8	Design Change 35. Ventilation Structure near 20th Street	21
Design Change 10. Crossover Tracks	8	Design Change 36. Ventilation Structure West of Coyote Creek	21
Design Change 11. Electrical and Communication Facilities near Railroad Court	8	Design Change 37. Gap Breaker Station near 9th Street	21
Design Change 12. High Rail Vehicle Access	9	Design Change 38. Civic Plaza/SJSU Station	21
Design Change 13. Locomotive Wye (Milpitas)	9	Design Change 39. Downtown San Jose Crossover	22
Design Change 14. Curtis Avenue to Trade Zone Boulevard	9	Design Change 40. Downtown San Jose Station	22
Design Change 15. Crossover Tracks North of Montague Expressway	11	Design Change 41. Market Street Station	23
Design Change 16. Electrical Facilities North of Montague Expressway	11	Design Change 42. Diridon/Arena Station and Alignment	23
Design Change 17. Montague/Capitol Station	11	Design Change 43. Traction Power Substation near Diridon/Arena Station	24
Design Change 18. Depth of Retained Cut South of East Penitencia Channel	14	Design Change 44. Gap Breaker Station near Morrison Avenue	24
3.2.3 CITY OF SAN JOSE	14	Design Change 45. Ventilation Structure near Stockton Avenue	24
Design Change 19. Electrical Facilities South of Trade Zone Boulevard	14	Design Change 46. Gap Breaker Station near Emory Street	25
Design Change 20. Depth of Retained Cut from Hostetter Road to Sierra Road/Lundy Avenue	17	Design Change 47. Tunnel Alignment near Hedding Street	25
Design Change 21. Communication Facilities South of Hostetter Road	17	Design Change 48. Ventilation Structure South of I-880	25
Design Change 22. Electrical and Communication Facilities near Berryessa Road	17	Design Change 49. Depth of Tunnel Bores	28
Design Change 23. Berryessa Station	17	Design Change 50. Crossover Tracks near the West Tunnel Portal	29
Design Change 24. Crossover Tracks and Pocket Track near Berryessa and Mabury Roads	18	3.2.4 CITY OF SANTA CLARA	29
Design Change 25. Electrical and Communication Facilities near Mabury Road	18	Design Change 51. Yard and Shops Facility	29
Design Change 26. High Rail Vehicle Access	18	Design Change 52. Santa Clara Station	32
Design Change 27. Maintenance of Way Siding Track	18	3.3 CHANGES TO OTHER PROJECT FEATURES	35
Design Change 28. Tunnel Portals	19	3.3.1 CONSTRUCTION STAGING AREAS	35
Design Change 29. Tunnel Cross Passages	19	Design Change 53. Construction Staging Areas	35
		3.3.2 BART CORE SYSTEM ACCESS	35
		Design Change 54. BART Core System Access	35

3.3.3 FLEET REQUIREMENTS	36	4.2.3 PARKING	16
Design Change 55. Fleet Requirements	36	4.2.3.1 Existing Conditions	16
3.3.4 OPERATING PLAN	37	4.2.3.2 Project Impacts and Mitigation Measures	17
Design Change 56. Operating Plan	37	4.2.4 PEDESTRIANS AND BICYCLES	18
3.3.5 STATION BOARDINGS	38	4.2.4.1 Existing Conditions	18
Design Change 57. Station Boardings	38	4.2.4.2 Project Impacts and Mitigation Measures	20
3.4 DESCRIPTION OF PROJECT FEATURES	39	4.2.5 VEHICULAR TRAFFIC	22
3.4.1 ELECTRICAL FACILITIES	39	4.2.5.1 Existing Conditions	22
Traction Power Substations and Sectionalizing Stations	39	4.2.5.2 Project Impacts and Mitigation Measures	25
High Voltage Substations and Switching Stations	40	CONCLUSION	53
Auxiliary Power Substations	40	4.3 AIR QUALITY	55
Gap Breaker Stations	40	4.3.1 INTRODUCTION	55
3.4.2 TRAIN CONTROL AND COMMUNICATION EQUIPMENT	41	4.3.2 ENVIRONMENTAL SETTING	55
Train Control Equipment	41	4.3.3 REGULATORY SETTING	55
Communication Equipment	41	4.3.3.1 Federal, State, and Local Air Quality Standards	55
3.4.3 RAILROAD INTRUSION DETECTION SYSTEM	41	4.3.3.2 Air Quality Conformity Requirements	57
3.4.4 CROSS PASSAGES	41	4.3.4 PROJECT IMPACTS AND MITIGATION MEASURES	58
3.4.5 TUNNEL AND UNDERGROUND STATION VENTILATION FACILITIES	42	CONCLUSION	66
Emergency Ventilation Facilities	42	4.4 BIOLOGICAL RESOURCES AND WETLANDS	67
Fresh Air Intake and Exhaust Facilities	42	4.4.1 INTRODUCTION	67
3.4.6 PUMP STATIONS	42	4.4.2 ENVIRONMENTAL SETTING	67
3.4.7 MAINTENANCE AND EMERGENCY ACCESS	43	4.4.2.1 Special Status Species and Critical Habitat	67
3.5 PROJECT SCHEDULE	44	4.4.2.2 Wetlands and Waters of the United States	71
		4.4.2.3 Field Surveys	71
		4.4.3 REGULATORY SETTING	71
		4.4.4 PROJECT IMPACTS AND MITIGATION MEASURES	73
		CONCLUSION	76
Chapter 4. Environmental Analysis		4.5 COMMUNITY SERVICES AND FACILITIES	77
4.1 INTRODUCTION	1	4.5.1 INTRODUCTION	77
4.1.1 CEQA THRESHOLDS OF SIGNIFICANCE	1	4.5.2 ENVIRONMENTAL SETTING	77
4.2 TRANSPORTATION AND TRANSIT	7	4.5.2.1 Police Services	77
4.2.1 INTRODUCTION	7	4.5.2.2 Hospitals	77
4.2.2 TRANSIT	8	4.5.2.3 Schools	77
4.2.2.1 Existing Conditions	8	4.5.2.4 Civic, Community, and Cultural Facilities	77
4.2.2.2 Project Impacts and Mitigation Measures	9	4.5.2.5 Parks and Recreational Facilities	78
4.2.2.3 Conclusion	16	4.5.2.6 Religious Institutions	78
		4.5.3 REGULATORY SETTING	78
		4.5.4 PROJECT IMPACTS AND MITIGATION MEASURES	78
		CONCLUSION	78

4.6 CULTURAL AND HISTORIC RESOURCES	79	4.10 HAZARDOUS MATERIALS	101
4.6.1 INTRODUCTION	79	4.10.1 INTRODUCTION	101
4.6.2 ENVIRONMENTAL SETTING	79	4.10.2 ENVIRONMENTAL SETTING	102
4.6.2.1 Area of Potential Effects	79	4.10.2.1 Qualitative Site Assessments	102
4.6.2.2 Archaeology	79	4.10.2.2 Quantitative Site Assessments (Sampling and Analysis)	103
4.6.2.3 Historic Architecture	80	4.10.3 REGULATORY SETTING	104
4.6.3 REGULATORY SETTING	82	4.10.4 PROJECT IMPACTS AND MITIGATION MEASUREMENTS	104
4.6.4 PROJECT IMPACTS AND MITIGATION MEASURES	82	CONCLUSION	107
4.6.4.1 Archaeology	82	4.11 LAND USE	109
4.6.4.2 Historic Architecture	82	4.11.1 INTRODUCTION	109
CONCLUSION	85	4.11.2 ENVIRONMENTAL SETTING	109
4.7 ELECTROMAGNETIC FIELDS	87	4.11.3 REGULATORY SETTING	109
4.7.1 INTRODUCTION	87	4.11.3.1 Local Development Plans and Policies	109
4.7.2 ENVIRONMENTAL SETTING	87	4.11.3.2 Regional Development Plans and Policies	110
4.7.2.1 San Jose Medical Center	87	4.11.3.3 Station and Urban Design Process	110
4.7.3 REGULATORY SETTING	87	4.11.4 PROJECT IMPACTS AND MITIGATION MEASURES	111
4.7.4 PROJECT IMPACTS AND MITIGATION MEASURES	87	4.11.4.1 Compatibility with Existing Land Uses	111
CONCLUSION	87	4.11.4.2 Consistency with Local and Regional Plans and Policies	111
4.8 ENERGY	89	4.11.4.3 Community Cohesion	111
4.8.1 INTRODUCTION	89	CONCLUSION	111
4.8.2 EXISTING CONDITIONS	89	4.12 NOISE AND VIBRATION	113
4.8.2.1 Existing State Electricity Generation and Demand	89	4.12.1 INTRODUCTION	113
4.8.3 REGULATORY SETTING	89	4.12.2 ENVIRONMENTAL SETTING	113
4.8.4 IMPACT ASSESSMENT AND MITIGATION MEASURES	89	4.12.3 REGULATORY SETTING	113
CONCLUSION	94	4.12.4 PROJECT IMPACTS AND MITIGATION MEASURES	113
4.9 GEOLOGY, SOILS, AND SEISMICITY	95	4.12.4.1 Line Segment (Warm Springs to Tunnel)	113
4.9.1 INTRODUCTION	95	4.12.4.2 Tunnel Segment	163
4.9.2 ENVIRONMENTAL SETTING	96	4.12.4.3 Design Changes	173
4.9.2.1 Faults and Seismicity	96	CONCLUSION	185
4.9.2.2 Soils and Surficial Deposits	96	4.13 SECURITY AND SYSTEM SAFETY	187
4.9.2.3 Liquefaction	96	4.13.1 INTRODUCTION	187
4.9.3 REGULATORY SETTING	96	4.13.2 ENVIRONMENTAL SETTING	187
4.9.3.1 Alquist-Priolo Earthquake Fault Zoning Act	96	4.13.2.1 VTA and Other Transit Facilities	187
4.9.3.2 Seismic Hazards Mapping Act	96	4.13.2.2 BART Facilities	187
4.9.3.3 California Building Code	98	4.13.3 REGULATORY SETTING	187
4.9.4 PROJECT IMPACTS AND MITIGATION MEASURES	98	4.13.4 PROJECT IMPACTS AND MITIGATION MEASURES	188
4.9.4.1 Surface Fault Rupture	98	CONCLUSION	188
4.9.4.2 Earthquake-Induced Landslides	99		
4.9.4.3 Ground Shaking	99		
4.9.4.4 Liquefaction	99		
CONCLUSION	100		

4.14 SOCIOECONOMICS	189	4.18.5 ENVIRONMENTAL ANALYSIS FOR CONSTRUCTION	247
4.14.1 INTRODUCTION	189	4.18.5.1 Transportation and Transit	247
4.14.2 ENVIRONMENTAL SETTING	189	4.18.5.2 Air Quality	256
4.14.3 REGULATORY SETTING	190	4.18.5.3 Biological Resources and Wetlands	257
4.14.4 PROJECT IMPACTS AND MITIGATION MEASURES	190	4.18.5.4 Geology, Soils, and Seismicity	259
CONCLUSION	198	4.18.5.5 Hazardous Materials	261
4.15 UTILITIES	199	4.18.5.6 Land Use	263
4.15.1 INTRODUCTION	199	4.18.5.7 Noise and Vibration	263
4.15.2 ENVIRONMENTAL SETTING	199	4.18.5.8 Socioeconomics	282
4.15.3 REGULATORY SETTING	201	4.18.5.9 Water Resources, Water Quality, and Floodplains	283
4.15.4 PROJECT IMPACTS AND MITIGATION MEASURES	201	CONCLUSION	283
CONCLUSION	201	4.19 CUMULATIVE IMPACTS	285
4.16 VISUAL QUALITY AND AESTHETICS	203	4.20 GROWTH INDUCING	287
4.16.1 INTRODUCTION	203	4.21 SUMMARY OF IMPACTS	289
4.16.2 ENVIRONMENTAL SETTING	203	4.21.1 NEW IMPACTS AND PROPOSED MITIGATION	289
4.16.3 REGULATORY SETTING	203	4.21.2 SIGNIFICANT UNAVOIDABLE ADVERSE EFFECTS UNDER CEQA	313
4.16.4 PROJECT IMPACTS AND MITIGATION MEASURES	203		
CONCLUSION	214	Chapter 5.0: BART Core Parking Analysis	
4.17 WATER RESOURCES, WATER QUALITY, AND FLOODPLAINS	215	Chapter 6.0: Agency and Community Participation	
4.17.1 INTRODUCTION	215	6.1 INTRODUCTION	1
4.17.2 ENVIRONMENTAL SETTING	215	6.2 PROJECT OUTREACH MEETINGS	2
4.17.3 REGULATORY SETTING	215	6.2.1 VTA-CITY PARTNERSHIP MEETINGS	2
4.17.4 PROJECT IMPACTS AND MITIGATION MEASURES	215	6.2.2 EXTERNAL TECHNICAL ADVISORY COMMITTEE MEETINGS	2
CONCLUSION	217	6.2.3 COMMUNITY WORKING GROUPS	2
4.18 CONSTRUCTION	219	6.2.4 PUBLIC MEETINGS	3
4.18.1 INTRODUCTION	219	6.2.5 SCOPING MEETINGS FOR THE DRAFT SEIR	3
4.18.2 ACTIVITIES PRIOR TO CONSTRUCTION	219	6.2.5.1 Notification	3
4.18.3 CONSTRUCTION SCHEDULE AND MAJOR ACTIVITIES	221	6.2.5.2 Public Scoping Meetings	3
4.18.3.1 Utility Relocation	221	6.2.5.3 Community Working Group Meetings on Project Changes	4
4.18.3.2 Tunnel Portals and Underground Stations	222	6.2.5.4 Scoping Report	4
4.18.3.3 Tunnel Construction	225	6.2.6 ONGOING PUBLIC OUTREACH	4
4.18.3.4 Line Civil Construction	230	Chapter 7.0: Agencies and Organizations	
4.18.3.5 Aboveground Stations and Ancillary Facilities	237		
4.18.3.6 Systems Installation and Testing	237		
4.18.3.7 Yard and Shops Construction	238		
4.18.3.8 Vehicle Commissioning	239		
4.18.3.9 Start-up and Commissioning	239		
4.18.4 CONSTRUCTION STAGING AREAS	239		

Chapter 8.0: List of Preparers

Chapter 9.0: Definitions, Abbreviations, and Acronyms

9.1 DEFINITIONS	1
9.2 ABBREVIATIONS AND ACRONYMS	6

Chapter 10.0: Bibliography

Appendices

APPENDIX A: NOTICE OF PREPARATION

APPENDIX B: COMPARISON OF CONCEPTUAL ENGINEERING AND PRELIMINARY ENGINEERING— BART EXTENSION PROJECT PLANS AND PROFILES

APPENDIX C: BART EXTENSION PROJECT PRELIMINARY ENGINEERING PLANS AND PROFILES

APPENDIX D: BART EXTENSION PROJECT STATION DESIGNS

APPENDIX E: AGENCY LETTERS

APPENDIX F: MAPS OF THE AREAS OF POTENTIAL EFFECTS

Index of Tables

CHAPTER 1.0

Table 1.3-1: Design Changes in the City of Fremont	4
Table 1.3-2: Design Changes in the City of Milpitas	7
Table 1.3-3: Design Changes in the City of San Jose	11
Table 1.3-4: Design Changes in the City of Santa Clara	21
Table 1.4-1: Design Changes for Other Project Features	25
Table 1.4-2: Comparison of Fleet Requirements Between the FEIR and SEIR	26
Table 1.4-3: Comparison of 2025 FEIR and 2030 SEIR Daily Station Boardings	27
Table 1.5-1: Summary of New Significant Impacts and Proposed Mitigation for the BART Extension Project	29

CHAPTER 2.0

Table 2.2-1: Estimated Daily Home Based Work Trips, 2000 to 2030	3
Table 2.2-2: Estimated Daily Non-Work Trips, 2000 to 2030	5
Table 2.2-3: Estimated AM and PM Peak Period Trips	5
Table 2.2-4: Households and Employment Growth, 2000 to 2030	7
Table 2.2-5: Households and Employment Growth by Superdistrict, 2000 to 2030	7

CHAPTER 3.0

Table 3.2-1: Design Changes in the City of Fremont	6
Table 3.2-2: Design Changes in the City of Milpitas	13
Table 3.2-3: Design Changes in the City of San Jose	26
Table 3.2-4: Design Changes in the City of Santa Clara	34
Table 3.3-1: Design Changes for Other Project Features	36
Table 3.3-2: Comparison of Fleet Requirements Between the FEIR and SEIR	37
Table 3.3-3: Comparison of 2025 FEIR and 2030 SEIR Daily Station Boarding	38

CHAPTER 4.0

Table 4.1-1: Thresholds of Significance for the BART Extension Project	2	Table 4.3-3: 2030 Carbon Monoxide Concentrations Near Montague/ Capitol Station Intersections	58
Table 4.2-1: Fiscal Year 2006 Average Weekday Transit Boardings By Operators in the Corridor	9	Table 4.3-4: 2030 Carbon Monoxide Concentrations Near Montague/ Capitol Station Parking Structures and Surface Lots	59
Table 4.2-2: Projected Average Weekday Transit Trips-Without Project Conditions	10	Table 4.3-5: 2030 Carbon Monoxide Concentrations Near Berryessa Station Intersections	60
Table 4.2-3: Total Average Weekday and New Linked Transit Trips in 2030	11	Table 4.3-6: 2030 Carbon Monoxide Concentrations Near Berryessa Station Parking Structures and Surface Lots	61
Table 4.2-4: Total Average Weekday BART System Boardings in 2030	11	Table 4.3-7: 2030 Carbon Monoxide Concentrations Near Alum Rock Station Intersections	61
Table 4.2-5: Total Average Weekday Transit Trips Served by BART Extension Project in 2030	11	Table 4.3-8: 2030 Carbon Monoxide Concentrations Near Alum Rock	62
Table 4.2-6: Total Average Weekday Transit Crossing Alameda-Santa Clara County Line in 2030	12	Table 4.3-9: 2030 Carbon Monoxide Concentrations Near Diridon/ Arena Station Intersections	63
Table 4.2-7: Comparison of 2025 FEIR and 2030 SEIR Boardings by Station	13	Table 4.3-10: 2030 Carbon Monoxide Concentrations Near Diridon/Arena, and Santa Clara Station Parking Structures and Surface Lots	64
Table 4.2-8: BART Extension Project Average Weekday Boardings and Alightings in 2030	13	Table 4.3-11: 2030 Carbon Monoxide Concentrations Near Santa Clara Station Intersections	64
Table 4.2-9: Mode of Access at BART Extension Project Stations	14	Table 4.3-12: Annual VMT for SEIR and FEIR Vehicle Operations By Mode (2030)	66
Table 4.2-10: Daily Travel Time Savings in 2030	15	Table 4.3-13: Criteria Pollutant Emissions Comparison of SEIR and FEIR	66
Table 4.2-11: 2030 AM Peak Door-to-Door Travel Time (Minutes) For Selected Origin-Destination Pairs	15	Table 4.4-1: Special-Status Plant and Wildlife Species, Their Status, and Potential Occurrence in the Project Area	69
Table 4.2-12: 2030 Project Park-and Ride Space Requirements	17	Table 4.4-2: Wetlands and Waters of the United States in the Study Area	72
Table 4.2-13: Recommended Bicycle Parking Facilities	22	Table 4.6-1: Archaeological Locations and Resources Affecting BART Extension Project	80
Table 4.2-14: Freeway Segment Level of Service Definitions	23	Table 4.6-2: Additional Historic Properties Listed in the NRHP, Eligible for Listing in the NRHP, or Appearing Eligible for Listing in the NRHP	81
Table 4.2-15: 2005 Existing Condition Intersection Summary	24	Table 4.6-3: Summary of FEIR and SEIR Surveys for Historic Architectural Resources	81
Table 4.2-16: Intersection LOS Impacts for Existing, Without Project, and Without Project with Mitigation Conditions	24	Table 4.8-1: Annual VMT for Vehicle Operations By Mode and Project (2030)	91
Table 4.2-17: Freeway Traffic Volumes and Levels of Service for 2004 Existing Conditions, 2030 Without Project, and 2030 BART Extension Project Conditions	26	Table 4.8-2: Direct and Total Energy Use by Transit and Auto Modes (2030)	91
Table 4.2-18: BART Extension Project Peak Hour Intersection Impact Summary	31	Table 4.8-3: Annual Direct and Total Energy Use for Vehicle Operations By Mode and Project (2030)	92
Table 4.3-1: Air Quality Standards, Ambient Measurements, and Violations at Air Monitoring Stations	56	Table 4.8-4: Net Annual Direct and Total Energy Use By Mode and Project (2030)	93
Table 4.3-2: Federal and State Ambient Air Quality Standards	57		

Table 4.9-1: Faults in the Vicinity of the Silicon Valley Rapid Transit Corridor Study Area	97
Table 4.12-1: Projected Baseline Cumulative Noise Levels for Line Portion	114
Table 4.12-2: Recommended Baseline Noise Mitigation for Line Portion	118
Table 4.12-3: Locations for Sound Absorptive Material for Line Portion	140
Table 4.12-4: Baseline Groundborne Vibration Levels for Line Portion	141
Table 4.12-5: Baseline Vibration Mitigation for Line Portion	146
Table 4.12-6: Baseline Groundborne Noise Impacts for Tunnel Portion	163
Table 4.12-7: Noise Impact from Crossover Tracks near Kato Road	174
Table 4.12-8: Groundborne Vibration from the Crossover near Kato Road	175
Table 4.12-9: Vibration Mitigation for Crossover near Kato Road	175
Table 4.12-10: Noise Impact for Retained Cut Option at Dixon Landing Road	176
Table 4.12-11: Noise Mitigation for Retained Cut Option at Dixon Landing Road	178
Table 4.12-12: Groundborne Vibration for Retained Cut Option at Dixon Landing Road	178
Table 4.12-13: Vibration Mitigation for Retained Cut Option at Dixon Landing Road	179
Table 4.12-14: Noise Impacts Comparison between Alignment Options	179
Table 4.12-15: Noise Mitigation for Aerial and Retained Cut Options	180
Table 4.12-16: Vibration Impact for Aerial and Retained Cut Options	181
Table 4.12-17: Vibration Mitigation for Aerial and Retain Cut Options	181
Table 4.14-1: 2005 and 2030 Population, Households and Employment	190
Table 4.14-2: BART Extension Project - Summary of Changes in Residential and Non-Residential Relocations from FEIR Project to SEIR Project	191
Table 4.15-1: Additional Major Utility Locations Within the Study Area	200
Table 4.18-1: Estimated Tunnel, Station, and Crossover Excavation Volumes and Numbers of Haul Trucks	252
Table 4.18-2: Construction Emissions	256
Table 4.18-3: Pollutant Concentrations Near Construction Sites	257
Table 4.18-4: FTA Construction Noise Guidelines	263
Table 4.18-5: Construction Hours by Local Jurisdiction	264

Table 4.18-6: Summary of Line Segment Construction Noise Impacts	265
Table 4.18-7: Tunnel Segment Noise Levels at Noise-Sensitive Receptors	272
Table 4.18-8: Estimates of Line Segment Vibration Levels due to Vibratory Pile Driver	277
Table 4.18-9: Noise Emission Limits for Construction Equipment	282
Table 4.21-1: Summary of New Significant Impacts and Proposed Mitigation for the BART Extension Project	290

CHAPTER 6.0

Table 6.2-1: Public Outreach Meetings	5
---------------------------------------	---

Index of Figures

CHAPTER 1.0

Figure 1.3-1: Design Changes in Fremont	5
Figure 1.3-2: Design Changes in Milpitas	8
Figure 1.3-3: Design Changes in San Jose	14
Figure 1.3-4: Design Changes in San Jose	15
Figure 1.3-5: Design Changes in Santa Clara	22

CHAPTER 2.0

Figure 2.2-1: Year 2000 Work Trips from Alameda County to Superdistricts 9, 11, and 12	4
Figure 2.2-2: Year 2000 Work Trips from Superdistricts 9, 11, and 12 to Alameda County	4
Figure 2.2-3: Year 2030 Projected Work Trips from Alameda County	4
Figure 2.2-4: Year 2030 Projected Work Trips from Superdistricts 9, 11, and 12	4

CHAPTER 3.0

Figure 3.2-1: Design Changes in Fremont	3
Figure 3.2-2: Design Changes in Milpitas	7
Figure 3.2-3: Design Changes in San Jose	15
Figure 3.2-4: Design Changes in San Jose	16
Figure 3.2-5: Design Changes in Santa Clara	30
Figure 3.5-1: Proposed Construction Schedule	44

CHAPTER 4.0

Figure 4.2-1: 2030 South Calaveras Future Station Level of Service Conditions	32	Figure 4.12-1u: Noise Mitigation for Line Portion	139
Figure 4.2-2: 2030 Berryessa Station (With Calaveras) Level of Service Conditions	39	Figure 4.12-2a: Vibration Mitigation for Line Portion	147
Figure 4.2-3: 2030 Alum Rock Station (With Calaveras) Intersection Level of Service Conditions	41	Figure 4.12-2b: Vibration Mitigation for Line Portion	148
Figure 4.2-4: 2030 Diridon/Arena Station (With Calaveras) Level of Service Conditions	44	Figure 4.12-2c: Vibration Mitigation for Line Portion	149
Figure 4.2-5: 2030 Santa Clara Station (With Calaveras) Level of Service Conditions	49	Figure 4.12-2d: Vibration Mitigation for Line Portion	150
Figure 4.4-1: Critical Habitat in the Project Area for the Central California Coast Steelhead	70	Figure 4.12-2e: Vibration Mitigation for Line Portion	151
Figure 4.12-1a: Noise Mitigation for Line Portion	119	Figure 4.12-2f: Vibration Mitigation for Line Portion	152
Figure 4.12-1b: Noise Mitigation for Line Portion	120	Figure 4.12-2g: Vibration Mitigation for Line Portion	153
Figure 4.12-1c: Noise Mitigation for Line Portion	121	Figure 4.12-2h: Vibration Mitigation for Line Portion	154
Figure 4.12-1d: Noise Mitigation for Line Portion	122	Figure 4.12-2i: Vibration Mitigation for Line Portion	155
Figure 4.12-1e: Noise Mitigation for Line Portion	123	Figure 4.12-2j: Vibration Mitigation for Line Portion	156
Figure 4.12-1f: Noise Mitigation for Line Portion	124	Figure 4.12-2k: Vibration Mitigation for Line Portion	157
Figure 4.12-1g: Noise Mitigation for Line Portion	125	Figure 4.12-2l: Vibration Mitigation for Line Portion	158
Figure 4.12-1h: Noise Mitigation for Line Portion	126	Figure 4.12-2m: Vibration Mitigation for Line Portion	159
Figure 4.12-1i: Noise Mitigation for Line Portion	127	Figure 4.12-2n: Vibration Mitigation for Line Portion	160
Figure 4.12-1j: Noise Mitigation for Line Portion	128	Figure 4.12-2o: Vibration Mitigation for Line Portion	161
Figure 4.12-1k: Noise Mitigation for Line Portion	129	Figure 4.12-2p: Vibration Mitigation for Line Portion	162
Figure 4.12-1l: Noise Mitigation for Line Portion	130	Figure 4.12-3a: Noise and Vibration Mitigation for Tunnel Portion	166
Figure 4.12-1m: Noise Mitigation for Line Portion	131	Figure 4.12-3b: Noise and Vibration Mitigation for Tunnel Portion	167
Figure 4.12-1n: Noise Mitigation for Line Portion	132	Figure 4.12-3c: Noise and Vibration Mitigation for Tunnel Portion	168
Figure 4.12-1o: Noise Mitigation for Line Portion	133	Figure 4.12-3d: Noise and Vibration Mitigation for Tunnel Portion	169
Figure 4.12-1p: Noise Mitigation for Line Portion	134	Figure 4.12-3e: Noise and Vibration Mitigation for Tunnel Portion	170
Figure 4.12-1q: Noise Mitigation for Line Portion	135	Figure 4.12-3f: Noise and Vibration Mitigation for Tunnel Portion	171
Figure 4.12-1r: Noise Mitigation for Line Portion	136	Figure 4.12-3g: Noise and Vibration Mitigation for Tunnel Portion	172
Figure 4.12-1s: Noise Mitigation for Line Portion	137	Figure 4.16-1: Current view of the Montague/Capitol Station location	206
Figure 4.12-1t: Noise Mitigation for Line Portion	138	Figure 4.16-2: View simulation of the Montague/Capitol Station	206
		Figure 4.16-3: Current view of the Montague/Capitol Station location	206
		Figure 4.16-4: View simulation of the Montague/Capitol Station	206
		Figure 4.16-5: Current view of the Berryessa Station Location	207
		Figure 4.16-6: View simulation of the Berryessa Station and Parking Garage	207

Figure 4.16-7: Current view of the Alum Rock Station and Parking Garage Location	209	Figure 4.18-14: Conveyor System	228
Figure 4.16-8: View simulation of the Alum Rock Station and Parking Garage	209	Figure 4.18-15: TBM Data Centers	229
Figure 4.16-9: Current view of the Downtown San Jose Station Location	210	Figure 4.18-16: Cross Passage Connecting the Tunnel Bores	230
Figure 4.16-10: View simulation of the Downtown San Jose Station	210	Figure 4.18-17: At-Grade Guideway	232
Figure 4.16-11: Current view of the Diridon/Arena Station Parking Structure Option Location	211	Figure 4.18-18: Retained Fill Guideway	233
Figure 4.16-12: View simulation of the Diridon/Arena Station Parking Structure Option	211	Figure 4.18-19: Mechanically Stabilized Earth Wall	233
Figure 4.16-13: Current view of the Diridon/Arena Station Parking Structure Option Location	211	Figure 4.18-20: Aerial Guideways	234
Figure 4.16-14: View simulation of the Diridon/Arena Station Parking Structure Option	211	Figure 4.18-21: Retained Cut U-wall	235
Figure 4.16-15: Current view of the Santa Clara Station and Parking Structure Location	213	Figure 4.18-22: Steel Sheet Piles	236
Figure 4.16-16: View simulation of the Santa Clara Station - 4 Level Parking Structure and Aerial Walkway	213	Figure 4.18-23: Lateral-bracing Members	236
Figure 4.16-17: View simulation of the Santa Clara Station - 6 Level Parking Structure and Aerial Walkway	213	Figure 4.18-24: Basic Components of a Tieback Anchor	237
Figure 4.17-1: Design Changes and Locations of Relocated or Added Critical Facilities	218	Figure 4.18-25: Soldier Piles and Lagging	237
Figure 4.18-1: Project Schedule	222	Figure 4.18-26: Soil Nail Wall	237
Figure 4.18-2: Temporary Deck Installation	223	Figure 4.18-27: Mission Falls Court Construction Staging Area	241
Figure 4.18-3: Ongoing Excavation after Temporary Deck Installation	224	Figure 4.18-28: Dixon Landing Road Construction Staging Area	242
Figure 4.18-4: Temporary Utility Support in an Excavation	225	Figure 4.18-29: Calaveras Boulevard Construction Staging Area	242
Figure 4.18-5: Deep Soil Mix and Auger Rig Installation	225	Figure 4.18-30: Capitol Avenue Construction Staging Area	243
Figure 4.18-6: Deep Soil Mix and Steel Soldier Piles	225	Figure 4.18-31: Trade Zone Boulevard Construction Staging Area	243
Figure 4.18-7: Trench Remixing and Deep-wall Method (TRD)	226	Figure 4.18-32: Berryessa Road Construction Staging Area	244
Figure 4.18-8: Construction of a Diaphragm Slurry Wall	226	Figure 4.18-33: Mabury Road and US 101 Construction Staging Area	244
Figure 4.18-9: Diameter and Spacing of Tunnel Bores	226	Figure 4.18-34: 17th Street Construction Staging Area	245
Figure 4.18-10: Twin Tunnel Bores	227	Figure 4.18-35: Downtown San Jose Construction Staging Area	245
Figure 4.18-11: Examples of Tunnel Boring Machines	227	Figure 4.18-36: SR 87 Construction Staging Area	246
Figure 4.18-12: General Arrangement of an Earth Pressure Balanced Tunnel Boring Machine	227	Figure 4.18-37: Diridon/Arena Station Construction Staging Area	246
Figure 4.18-13: Example of Segmental Concrete Lining Units and Rings Tunnel Boring Machine	228	Figure 4.18-38: I-880 Construction Staging Area	247
		Figure 4.18-39: Truck Haul Routes	253
		Figure 4.18-40: Example of a Temporary Noise Barrier	279
		Figure 4.18-41: Example of a Temporary Noise Barrier	279